BASIC COMPUTER TABLES

CENTER LEG TABLE::CONNECTIONS

Ideal for Learning and Meeting Solutions.

Our Connections Work Centers feature 14-gauge steel bases, 1" thick tabletops, and cord management. The design at the base of the table provides strength and maximum accessibility to the work surface. The extended base supports the back and front to reduce tip over. Tables are available in your choice of four trim color packages. Trim package includes edge bands, toe caps, and grommet hole inserts. Optional electrical units are available.

Maximizes tabletop accessibility in classrooms and computer labs.

GREENGUARD

3511 Connections Corner Table

Creates 90 degree angles with 30" D tables. Height-adjustable table holds a CPU, monitor, and keyboard. Features a grommet hole, a hinged cord management bin, modesty panel and adjustable glides.

Model #	W x D x H	Wt	Glides or Casters	ADA Compliant	Grommet Hole(s)
• **3511**	65" x 42" x 24-32"	94 lbs	Glides	N	1

See page 190 for information on the Basics Color Program.

See pages 192–195 for special order colors. Additional costs and longer lead times may apply.

CENTER LEG TABLE::CONNECTIONS

Ideal for Learning and Meeting Solutions.

Connections Work Centers

Tables are available in 30", 36", 42", 48", 60", and 72" W and 24" or 30" D. All have a rear cord management bin with flip down door. Choice of glides or 4" casters.

Model #	W x D x H	Wt	Glides or Casters	ADA Compliant	Grommet Hole(s)
• **3576**	30" x 30" x 24-32"	56 lbs	Glides	N	1
• **3577**	30" x 30" x 24-32"	62 lbs	Casters	N	1
• **3569**	36" x 24" x 24-32"	65 lbs	Glides	N	1
• **3521**	36" x 30" x 24-32"	64 lbs	Glides	N	1
• **3520**	36" x 24" x 24-32"	71 lbs	Casters	N	1
• **3517**	36" x 30" x 24-32"	67 lbs	Casters	N	1
• **3515**	42" x 30" x 24-32"	86 lbs	Glides	N	1
• **3514**	42" x 30" x 24-32"	90 lbs	Casters	N	1
• **3570**	48" x 24" x 24-32"	84 lbs	Glides	N	2
• **3523**	48" x 30" x 24-32"	82 lbs	Glides	N	2
• **3522**	48" x 24" x 24-32"	80 lbs	Casters	N	2
• **3518**	48" x 30" x 24-32"	86 lbs	Casters	N	2
• **3561**	60" x 24" x 24-32"	81 lbs	Glides	N	2
• **3524**	60" x 30" x 24-32"	106 lbs	Glides	N	2
• **3560**	60" x 24" x 24-32"	84 lbs	Casters	N	2
• **3519**	60" x 30" x 24-32"	110 lbs	Casters	N	2
• **3565**	72" x 24" x 24-32"	111 lbs	Glides	N	2
• **3525**	72" x 30" x 24-32"	120 lbs	Glides	N	2
• **3564**	72" x 24" x 24-32"	107 lbs	Casters	N	2
• **3526**	72" x 30" x 24-32"	114 lbs	Casters	N	2

Connections XTC Work Centers

Connections XTC Work Centers provide extra space for a CPU tower and come standard with an adjustable CPU holder, a cord management bin, grommets and a choice of 4" casters or glides. CPU holders come in standard $6^{1/2}$"–$11^{1/2}$" W or slim $3^{1/2}$"–$5^{3/4}$" W. The 72" W tables come with two CPU holders.

Model #	W x D x H	Wt	Glides or Casters	ADA Compliant	Grommet Hole(s)	CPU Holder
• **35XTC21**	36" x 30" x 24-32"	72 lbs	Glides	N	1	$6^{1/2}$"–$11^{1/2}$"W
• **35XTC17**	36" x 30" x 24-32"	74 lbs	Casters	N	1	$6^{1/2}$"–$11^{1/2}$"W
• **35XTC15**	42" x 30" x 24-32"	94 lbs	Glides	Y	1	$6^{1/2}$"–$11^{1/2}$"W
• **35XTC14**	42" x 30" x 24-32"	98 lbs	Casters	Y	1	$6^{1/2}$"–$11^{1/2}$"W
• **35XTC23**	48" x 30" x 24-32"	95 lbs	Glides	Y	2	$6^{1/2}$"–$11^{1/2}$"W
• **35XTC18**	48" x 30" x 24-32"	98 lbs	Casters	Y	2	$6^{1/2}$"–$11^{1/2}$"W
• **35XTC25**	72" x 30" x 24-32"	128 lbs	Glides	Y	2	$6^{1/2}$"–$11^{1/2}$"W
• **35XTC26**	72" x 30" x 24-32"	130 lbs	Casters	Y	2	$6^{1/2}$"–$11^{1/2}$"W
• **35XTC21MT**	36" x 30" x 24-32"	72 lbs	Glides	N	1	$3^{1/2}$"–$5^{3/4}$"W
• **35XTC17MT**	36" x 30" x 24-32"	74 lbs	Casters	N	1	$3^{1/2}$"–$5^{3/4}$"W
• **35XTC15MT**	42" x 30" x 24-32"	94 lbs	Glides	Y	1	$3^{1/2}$"–$5^{3/4}$"W
• **35XTC14MT**	42" x 30" x 24-32"	98 lbs	Casters	Y	1	$3^{1/2}$"–$5^{3/4}$"W
• **35XTC23MT**	48" x 30" x 24-32"	95 lbs	Glides	Y	2	$3^{1/2}$"–$5^{3/4}$"W
• **35XTC18MT**	48" x 30" x 24-32"	98 lbs	Casters	Y	2	$3^{1/2}$"–$5^{3/4}$"W
• **35XTC25MT**	72" x 30" x 24-32"	128 lbs	Glides	Y	2	$3^{1/2}$"–$5^{3/4}$"W
• **35XTC26MT**	72" x 30" x 24-32"	130 lbs	Casters	Y	2	$3^{1/2}$"–$5^{3/4}$"W

Grey Mist/Quartz (-GMQ) | Grey Mist/Cardinal (-GMC) | Grey Mist/Topaz (-GMT) | Grey Mist/Polo (-GML)

BASIC COMPUTER TABLES

POWER AND DATA:: CONNECTIONS POWERBAR

Ideal for Learning and Meeting Solutions.

Make your Connections Work Center or Connections XTC Work Center tables more powerful with the addition of the PowerBar. PowerBar allows tables to hardwire directly into the building's electrical infrastructure and makes it easier to run power in rows.

Simplifies power distribution in classrooms, labs, and even office environments.

PowerBar Raceway

Connections Table attachment holds the hardwire or softwire components (35PBCFPS) of the power system. Available in five sizes, spanning the entire width of the table. Can attach to existing Connections Work Centers or XTC Work Centers.

- **35PBR24**
  For 24" tabletop bridge.
- **35PBR42**
  For 42" W table.
- **35PBR48**
  For 48" W table.
- **35PBR60**
  For 60" W table.
- **35PBR72**
  For 72" W table.

Power Harness

For use with hardwire power solutions for the Connections Tables with a PowerBar. Holds two Simplexes or two Duplexes.

- **35PBPH42**
  For 42" W tables.
- **35PBPH48**
  For 48" W tables.
- **35PBPH60**
  For 60" W tables.
- **35PBPH72**
  For 72" W tables.

- **DUPLC11 Duplex-Circuit 1**
  Contains two electrical outlets.
  For use with SmartDeck or PowerBar only.
- **DUPLC22 Duplex-Circuit 2**
  Contains two electrical outlets.
  For use with SmartDeck or PowerBar only.
- **DUPLC33 Duplex-Circuit 3**
  Contains two electrical outlets.
  For use with SmartDeck or PowerBar only.
- **DUPLC44 Duplex-Circuit 4**
  Contains two electrical outlets.
  For use with SmartDeck or PowerBar only.

POWER AND DATA:: CONNECTIONS POWERBAR

Ideal for Learning and Meeting Solutions.

JPCPT30 Jumper for Connecting PowerBar Raceway

Jumper for linking Power Harness from table to table when used in PowerBar.

LJUMP-9696 Jumper

Jumper for use with 24" Tabletop Bridge when used in PowerBar. Links tables on each side of the bridge.

JHDES Hardwire Power Entry System

Hardwire Power Feed is UL and C-UL Listed. It's 8-wire, 4-circuit, and has 64 amps/120 volt capability. Composed of steel core with durable PVC jacket. Provides complete protection against liquid and moisture vapor. Requires installation by licensed electrician. Use one per row of tables.

35PBFD Wire Chase

Down Box mounts to the end of a row of tables to bring in power and data cables.

35PBRCAP PowerBar End Caps

Comes in a set of two. Caps attach to the end of the PowerBar at each end of a row of tables.

35PBDCLP PowerBar Data Plate

Holds two data or phone jacks. Attaches to the inside of the PowerBar Raceway. Includes two data plates to hold a total of four jacks. Jacks not included.

35PBCFPS Surge Protected Power Strip

Includes four individually grounded outlets. Includes on/off switch and 20' power cord. Attaches inside PowerBar. Has 110 volt capacity. Not for use with hardwired components.

See pages 192–195 for special order colors. Additional costs and longer lead times may apply.

Grey Mist (-GM)

BASIC COMPUTER TABLES

4-LEG TABLE::QUATTRO

Ideal for Learning and Meeting Solutions.

Our Quattro Tables feature scratch resistant 1" thick laminate tabletops and have reinforced legs and tops to hold heavy equipment. Grommet holes in the tabletop and a rear J-channel for cord management are included. Legs are height-adjustable from 24" to 32". Optional accessories include a surge and overload-protected 4-outlet electrical unit, an adjustable CPU holder, and 3" replacement casters.

In classrooms and computer labs, use and management of computer technology is made easy.

Model #	W x D x H	Wt	Glides or Casters	ADA Compliant	Grommet Hole(s)
• **QWTCP2436**	36" x 24" x 24-32"	65 lbs	Glides	Y	1
• **QWTCP3036**	36" x 30" x 24-32"	73 lbs	Glides	Y	1
• **QWTCP2442**	42" x 24" x 24-32"	71 lbs	Glides	Y	1
• **QWTCP3042**	42" x 30" x 24-32"	81 lbs	Glides	Y	1
• **QWTCP2448**	48" x 24" x 24-32"	78 lbs	Glides	Y	2
• **QWTCP3048**	48" x 30" x 24-32"	89 lbs	Glides	Y	2
• **QWTCP2460**	60" x 24" x 24-32"	92 lbs	Glides	Y	2
• **QWTCP3060**	60" x 30" x 24-32"	105 lbs	Glides	Y	2
• **QWTCP2472**	72" x 24" x 24-32"	111 lbs	Glides	Y	2
• **QWTCP3072**	72" x 30" x 24-32"	121 lbs	Glides	Y	2
• **QWTCP2484**	84" x 24" x 24-32"	116 lbs	Glides	Y	3
• **QWTCP3084**	84" x 30" x 24-32"	135 lbs	Glides	Y	3

Grey Mist/Quartz (-GMQ)

Grey Mist/Cardinal (-GMC)

Grey Mist/Polo (-GML)

Grey Mist/Topaz (-GMT)

Cherry/Black (-CY)

See page 190 for information on the Basics Color Program.

See pages 192–195 for special order colors.
Additional costs and longer lead times may apply.

ACCESSORIES

Ideal for Learning and Meeting Solutions.

Enhance the functionality of your Basic Computer Tables with these additions. All accessories are GREENGUARD Certified for Children and Schools.

CONNECTIONS WORK CENTER ACCESSORIES

35CPUHRN CPU Harness

CPU harness mounts to the inside or outside of either leg on the Connections Work Centers. CPU Harness is height-adjustable from 15½"–19½" and width-adjustable from 6"–11½" to accommodate various CPU sizes.

35CPUMTC Slim CPU Harness

Same as 35CPUHRN but width-adjustable for 3½" to 5⅞" slim CPU towers.

3557-GM Ganging Bracket on Connection Work Centers

Brackets connect tables side by side. Comes in a set of two with a Grey finish. Hardware is included. Does not work with XTC Work Center tables.

35TB2412, 3024, 3012, 2424, Tabletop Bridges

Tabletop Bridges integrate additional work surface space between Connections Work Centers to hold printers and scanners. Bridge attaches using standard connecting brackets. Does not work with XTC Work Center tables.

3573-GM Connections Cord Bin Bridge Pack on Connections Work Centers

Connects wire bins of two side by side Work Centers. Pack contains one bridge to connect wire bins and keep cords hidden. Also includes one connector bracket. Connects to existing cord bins with two bolts.

UCSKD and UCSKDMP2 Keyboard Drawers

For use on Connections Work Centers and XTC Work Centers only.

TGCPU-GM TechGuard CPU Tower Entrapment

Secures a CPU tower from theft by enclosing it on all sides. Rear is open with a security bar for easy access to tower plug-ins. Front features a removable bar with combination lock. Front and rear bars are adjustable for access to drives and plug-in points. May be used to replace CPU holders on Connections XTC Work Centers.

QUATTRO COMPUTER ACCESSORIES

QWTCPU CPU Tower Holder

Tower mounts to the underside of Rectangle Quattro Computer Tables or Quattro Voltea tables with screws. The holder is 20⅜" tall and is adjustable from 6½"-11½" W to accommodate various CPU sizes.

F *Available in Black or Grey Mist finish only.*

QWTMTC Slim CPU Holder

Adjustable from 3½" to 5¾" W for slim CPU towers. For use with Quattro Computer tables or Quattro Voltea tables.

F *Available in Black or Grey Mist finish only.*

CT3CP Caster Pack

The 3" twin wheel plastic threaded stem caster pack includes four casters (two locking). Threaded stem measures 3/8". Adds 3¼" H to work surface. May be used to replace standard Quattro adjustable glides. Not for use with Trapezoid Quattro tables.

ECF6 6-Outlet Power Strip

Six-outlet electrical unit attaches to pre-drilled holes on Bretford computer and multimedia tables. Features a 20' power cord with 3-wire grounded cord, overload protection, and on/off switch.

TABLES

ANALYSIS CHARTS

You can use the following charts to view our range of products and to compare their features and benefits.

CENTER LEG TABLE::CONNECTIONS

Model #	W x D x H	Wt	Glides or Casters	ADA Compliant	Grommet Hole(s)
• **3511**	65" x 42" x 24-32"	94 lbs	Glides	N	1
• **3576**	30" x 30" x 24-32"	56 lbs	Glides	N	1
• **3577**	30" x 30" x 24-32"	62 lbs	Casters	N	1
• **3569**	36" x 24" x 24-32"	65 lbs	Glides	N	1
• **3521**	36" x 30" x 24-32"	64 lbs	Glides	N	1
• **3520**	36" x 24" x 24-32"	71 lbs	Casters	N	1
• **3517**	36" x 30" x 24-32"	67 lbs	Casters	N	1
• **3515**	42" x 30" x 24-32"	86 lbs	Glides	N	1
• **3514**	42" x 30" x 24-32"	90 lbs	Casters	N	1
• **3570**	48" x 24" x 24-32"	84 lbs	Glides	N	2
• **3523**	48" x 30" x 24-32"	82 lbs	Glides	N	2
• **3522**	48" x 24" x 24-32"	80 lbs	Casters	N	2
• **3518**	48" x 30" x 24-32"	86 lbs	Casters	N	2
• **3561**	60" x 24" x 24-32"	81 lbs	Glides	N	2
• **3524**	60" x 30" x 24-32"	106 lbs	Glides	N	2
• **3560**	60" x 24" x 24-32"	84 lbs	Casters	N	2
• **3519**	60" x 30" x 24-32"	110 lbs	Casters	N	2
• **3565**	72" x 24" x 24-32"	111 lbs	Glides	N	2
• **3525**	72" x 30" x 24-32"	120 lbs	Glides	N	2
• **3564**	72" x 24" x 24-32"	107 lbs	Casters	N	2
• **3526**	72" x 30" x 24-32"	114 lbs	Casters	N	2

CENTER LEG TABLE::CONNECTIONS

Model #	W x D x H	Wt	Glides or Casters	ADA Compliant	Grommet Hole(s)	CPU Holder
• **35XTC21**	36" x 30" x 24-32"	72 lbs	Glides	N	1	6 1/2"–11 1/2"W
• **35XTC17**	36" x 30" x 24-32"	74 lbs	Casters	N	1	6 1/2"–11 1/2"W
• **35XTC15**	42" x 30" x 24-32"	94 lbs	Glides	Y	1	6 1/2"–11 1/2"W
• **35XTC14**	42" x 30" x 24-32"	98 lbs	Casters	Y	1	6 1/2"–11 1/2"W
• **35XTC23**	48" x 30" x 24-32"	95 lbs	Glides	Y	2	6 1/2"–11 1/2"W
• **35XTC18**	48" x 30" x 24-32"	98 lbs	Casters	Y	2	6 1/2"–11 1/2"W
• **35XTC25**	72" x 30" x 24-32"	128 lbs	Glides	Y	2	6 1/2"–11 1/2"W
• **35XTC26**	72" x 30" x 24-32"	130 lbs	Casters	Y	2	6 1/2"–11 1/2"W
• **35XTC21MT**	36" x 30" x 24-32"	72 lbs	Glides	N	1	3 1/2"–5 3/4"W
• **35XTC17MT**	36" x 30" x 24-32"	74 lbs	Casters	N	1	3 1/2"–5 3/4"W
• **35XTC15MT**	42" x 30" x 24-32"	94 lbs	Glides	Y	1	3 1/2"–5 3/4"W
• **35XTC14MT**	42" x 30" x 24-32"	98 lbs	Casters	Y	1	3 1/2"–5 3/4"W
• **35XTC23MT**	48" x 30" x 24-32"	95 lbs	Glides	Y	2	3 1/2"–5 3/4"W
• **35XTC18MT**	48" x 30" x 24-32"	98 lbs	Casters	Y	2	3 1/2"–5 3/4"W
• **35XTC25MT**	72" x 30" x 24-32"	128 lbs	Glides	Y	2	3 1/2"–5 3/4"W
• **35XTC26MT**	72" x 30" x 24-32"	130 lbs	Casters	Y	2	3 1/2"–5 3/4"W

4-LEG TABLE::QUATTRO

Model #	W x D x H	Wt	Glides or Casters	ADA Compliant	Grommet Hole(s)
• **QWTCP2436**	36" x 24" x 24-32"	65 lbs	Glides	Y	1
• **QWTCP3036**	36" x 30" x 24-32"	73 lbs	Glides	Y	1
• **QWTCP2442**	42" x 24" x 24-32"	71 lbs	Glides	Y	1
• **QWTCP3042**	42" x 30" x 24-32"	81 lbs	Glides	Y	1
• **QWTCP2448**	48" x 24" x 24-32"	78 lbs	Glides	Y	2
• **QWTCP3048**	48" x 30" x 24-32"	89 lbs	Glides	Y	2
• **QWTCP2460**	60" x 24" x 24-32"	92 lbs	Glides	Y	2
• **QWTCP3060**	60" x 30" x 24-32"	105 lbs	Glides	Y	2
• **QWTCP2472**	72" x 24" x 24-32"	111 lbs	Glides	Y	2
• **QWTCP3072**	72" x 30" x 24-32"	121 lbs	Glides	Y	2
• **QWTCP2484**	84" x 24" x 24-32"	116 lbs	Glides	Y	3
• **QWTCP3084**	84" x 30" x 24-32"	135 lbs	Glides	Y	3